



Revolving Doors

Sliding Doors Hospital Doors 90 Degree Doors

Circul Sliding

METAXDOOR GL30/SM

Manual Glass Revolving Door



3-Wing-Manual All Glass Revolving Door



4-Wing-Manual All Glass Revolving Door



Night Shield



METAXDOOR GL30/SM



"The best solution is all glass manual revolving door for places where aesthetic, economy and transparent entrance solutions are required."

METAXDOOR GL30/SM glass revolving door is made of complete glass and slim stainless steel profiles. It is designed to fit effortlessly into transparent facades. Besides all these functions, it also provides you with insulation and smooth flow of standard revolving doors and enables you to create the entrance of your dreams.

Perfect harmony of laminated and tampered glasses with slim stainless steel profiles and custom manufactured floor mat are some of the featured specifications of GL30 series glass revolving doors.



METAXDOOR GL30/SM




D	Н	W/3	W/4	D1
2000	2100-2600	950	1370	1940
2100	2100-2600	1000	1440	2040
2200	2100-2600	1050	1510	2140
2300	2100-2600	1100	1580	2240
2400	2100-2600	1150	1650	2340
2500	2100-2600	1200	1720	2440
2600	2100-2600	1250	1790	2540
2700	2100-2400	1300	1860	2640
2800	2100-2400	1350	1930	2740
2900	2100-2400	1400	2000	2840
3000	2100-2400	1450	2070	2940


^{*} Dimensions are in milimeters.


^{**} Dimensions are for reference and are subject to change on static requirements.

***Special dimensions available upon requirements.

****Dimensions are for information purposes only and are subject to change on static requirements.







Technical Specifications				
Fixed Wing Glass	Standard 4 + 4 Laminated Glass			
Fixed Panel Cladding		Optional		
Moving Wing	Standard 8 mm Tempered Glass			
Handle	Vertical Stainless Handle			
Locking	Manual Lock			
Electrostatic Powder Coating		Optional		
Stainless Steel Cladding	Standard			
Floor Mat		Optional		
Floor Ring	Standard			
Night Shield		Optional		
%100 Horse Hair Brush	Standard			

^{*} Contact for special requests upon project basis

Wings

A harmony is created by the unique designed frame profiles and natural horse hair brushes surrounding the frame in the wings of Metaxdoor revolving door systems. With this harmony; air, dust and noise insulation is maximized. The unique design used in the profiles provides Metaxdoor revolving door systems with toughness along with an extremely chic look.

Glasses

As standard; 4+4mm curved laminated glasses are used on fixed frames and 8 mm tempered glasses are used on the moving wings. 5+5 mm curved laminated and 10 mm tempered glasses can also be used upon demand. Providing these qualities and dimensions; any kind of color and colored reflected glasses can be used as options on the system. Glasses are protected from outside effects by glass seals.













HTM METAXDOOR GmbH

Bredeneyer Str. 2b 45133 Essen

Tel: 0201 4517-322
Fax: 0201 4517-323
www.metaxdoor.de
info@metaxdoor.de

