



Revolving  
Doors



Sliding  
Doors



Hospital  
Doors



90 Degree  
Doors




Circular  
Sliding Doors




METAXDOOR MR30/SM

Standard Manual  
Revolving Door



3-Wing-Manual Revolving Door



4-Wing-Manual Revolving Door



Night Shield

METAXDOOR®





“Wherever you need a durable and economic entrance solution METAXDOOR MR30/SM Manual Revolving Door system is the solution for you.”

METAXDOOR MR30/SM series manual revolving doors are designed specially for entrances where durability and economy are the main objectives. These doors; made of aluminium and glass, have the ability to be made automatic whenever requested.

METAXDOOR MR30/SM series manual revolving doors also provide you with a variety of external designs and chic looks to fit your buildings exteriors.

If the conditions are tough and you want an economic entrance solution which will complete your building’s exterior design METAXDOOR MR30/SM manual revolving doors are made for you.

“You Dream, We Make”








D	D1	D2	W/3	W/4	H	K
2000	1966	1906	860	1270	2100-3100	140-1000
2100	2066	2006	920	1340	2100-3100	140-1000
2200	2166	2106	960	1410	2100-3100	140-1000
2300	2266	2206	1010	1480	2100-3100	140-1000
2400	2366	2306	1060	1550	2100-3100	140-1000
2500	2466	2406	1110	1620	2100-3100	140-1000
2600	2566	2506	1160	1690	2100-3100	140-1000
2700	2666	2606	1210	1760	2100-3100	140-1000
2800	2766	2706	1260	1830	2100-3100	140-1000
2900	2866	2806	1310	1900	2100-3100	140-1000
3000	2966	2906	1360	1970	2100-3100	140-1000

\* Dimensions are in millimeters.


\*\* Dimensions are for reference and are subject to change upon static requirements.

\*\*\*Special dimensions available on request.

\*\*\*\* Dimensions are for information purposes only and are subject to change upon static requirements.



D: Outer Canopy Diameter  
D1: Outer Ground Diameter  
D2: Inner Diameter  
W: Passage Width  
H: Passage Height  
K: Canopy Height



2mm

## Technical Specifications

Fixed Curved Glasses	Standard 4 + 4 Laminated Glasses
Side Wall Cladding	Optional
Wing Glasses	Standard 8 mm Tempered Glasses
Door Handles	Vertical or Horizontal Stainless Steel Door Handles
Lighting	Energy Saving Halogen Spot
Locking	Manual Lock
Anodized Finish	Standard
Electrostatic Powder Coating	Standard
Stainless Steel Cladding	Optional
Floor Mat	Optional
Floor Ring	Optional
Waterproof Ceiling	Optional
Night Shield	Optional
Theftproof System	Optional
Lighting on/off Button	Standard
Natural Horse Hair Brushes	Standard
Circular Air Curtain	Optional
Espagnolette Lock	Optional

\* Contact for special request are upon project basis.

\*\* Some specifications not available for static requirements.

\*\*\* Contact for detailed information.

2mm CANOPY COVER

8 mm BASKET

4+0.76+4 mm LAMINATED GLASS

4+0.76+4 mm LAMINATED GLASS

NATURAL HORSE HAIR BRUSH 40 mm

8 mm C PANEL

## Mechanism

Metaxdoor revolving door systems canopies are manufactured as modular; from only aluminium alloy and without any kind of welding.

Mechanic units are designed specially for revolving door systems, within our research and development facilities and in cooperation with top European companies. These systems are manufactured to far exceed your expectations.

## Glasses

As standard; 4+4mm curved laminated glasses are used on fixed frames and 8 mm tempered glasses are used on the moving wings. 5+5 mm curved laminated and 10 mm tempered glasses can also be used upon demand. Providing these qualities and dimensions, any kind of color and colored reflected glasses can be used as options on the system. Glasses are protected from outside effects by glass seals.

## Wings

A harmony is created by the unique designed frame profiles and natural horse hair brushes surrounding the frame in the wings of Metaxdoor revolving door systems. With this harmony; air, dust and noise insulation is maximized. The unique design used in the profiles provides Metaxdoor revolving door systems with toughness along with an extremely chic look.







MANUFACTURER OF AUTOMATIC DOOR SYSTEMS

## HTM METAXDOOR GmbH

Bredeneyer Str. 2b 45133 Essen

Tel : 0201 4517-322

Fax: 0201 4517-323

[www.metaxdoor.de](http://www.metaxdoor.de)

[info@metaxdoor.de](mailto:info@metaxdoor.de)

